

**OCA # (735101)**

TO BE PUBLISHED ONE TIME ON MAY 1, 2003

**SEALED PROPOSALS**

Notice is hereby given that bids will be received at the office of the Purchasing Manager, up to 10:00 a.m., Friday, May 9, 2003 for the following project:

**Water Distribution System to serve Wichita Heights High School  
(south of 53rd Street North, west of Hillside)  
448-89739 (735101)**

**Lump Sum Bid Items**

|  |          |    |
|--|----------|----|
| WL Pipe 02"  | 7.00     | If |
| WL Pipe 04"  | 34.00    | If |
| WL Pipe 08"  | 1,815.00 | If |
| DICL SJ Pipe 04"   | 6.00     | If |
| DICL SJ Pipe 08"   | 34.00    | If |
| Valve Assembly 08"   | 2.00     | ea |
| Anchor Valve Assembly 04"  | 2.00     | ea |
| Anchor Valve Assembly 08"  | 3.00     | ea |
| Fire Hydrant Assembly  | 2.00     | ea |
| Casing Bored & Jacked (18" ID min.), Steel,<br>or Installation by Directional Boring | 256.00   | If |
| Remove and Relocate Existing Vaults  | 1.00     | LS |
| 2" Service Outlet Assembly   | 1.00     | ea |
| Site Clearing & Restoration  | 1.00     | LS |
| Project Seeding  | 1.00     | LS |
| Erosion Control  | 1.00     | LS |
| 2" meter set   | 1.00     | ea |
| 4" meter set   | 2.00     | ea |
| 4" Pressure Reducer/Backflow Preventer   | 1.00     | ea |

All bids received will thereafter be publicly opened, read aloud and considered by the Board of Bids and Contracts.

All work to be done under the direction and supervision of the City Manager and according to plans and specifications on file in the office of the City Engineer.

Bidders will be required to enclose a bid bond in the amount of five per cent (5%) with each as a guarantee of good faith.

The Wichita City Council reserves the right to reject any and all bids.

Dated at Wichita, Kansas, April 28, 2003

Pat Graves, City Clerk

/mm

This information and any addenda are also available on the City's Web Page at: [www.wichita.gov/ep/](http://www.wichita.gov/ep/).

**OCA # (743985)**

TO BE PUBLISHED ONE TIME ON MAY 1, 2003

**SEALED PROPOSALS**

Notice is hereby given that bids will be received at the office of the Purchasing Manager, up to 10:00 a.m., Friday, May 9, 2003 for the following project:

**Lateral 4, Main 14, Four Mile Creek Sewer; Reed's Cove Addition  
(south of 21st Street North, east of 127th Street East)  
468-83621 (743985)**

**Lump Sum Bid Items**

|  |          |    |
|--|----------|----|
| SS Pipe 8"                                 | 4,127.00 | If |
| MH, Std                                    | 15.00    | ea |
| Stub, SS (4")                              | 1.00     | ea |
| Stub, SS (8")                              | 1.00     | ea |
| Riser Pipe Assembly (4")                   | 5.00     | ea |
| Casing Bored & Jacked (16" ID min.), Steel | 100.00   | If |
| Site Clearing & Restoration                | 1.00     | LS |
| BMP  | 1.00     | LS |
| Flowable Fill                              | 163.00   | If |

All bids received will thereafter be publicly opened, read aloud and considered by the Board of Bids and Contracts.

All work to be done under the direction and supervision of the City Manager and according to plans and specifications on file in the office of the City Engineer.

Bidders will be required to enclose a bid bond in the amount of five per cent (5%) with each as a guarantee of good faith.

The Wichita City Council reserves the right to reject any and all bids.

Dated at Wichita, Kansas, April 28, 2003

Pat Graves, City Clerk

/mm

This information and any addenda are also available on the City's Web Page at: [www.wichita.gov/ep/](http://www.wichita.gov/ep/).

**OCA # (751335)**

TO BE PUBLISHED ONE TIME ON MAY 1, 2003

**SEALED PROPOSALS**

Notice is hereby given that bids will be received at the office of the Purchasing Manager, up to 10:00 a.m., Friday, May 9, 2003 for the following project:

**Storm Water Drain #202 to serve Thunderbird Office Park  
(south of Maple, west of 119th Street West)  
468-83607 (751335)**

**Lump Sum Bid Items**

|  |           |    |
|--|-----------|----|
| Excavation                               | 45,300.00 | cy |
| Mass Grading                             | 1.00      | ls |
| Silt Fence                               | 4,230.00  | lf |
| Stabilized Construction Entrance         | 1.00      | ls |
| Erosion Control Blanket                  | 2,650.00  | sy |
| Sediment Barrier, Straw Bale Ditch Check | 4.00      | ea |
| Inlet Manhole Structure                  | 1.00      | ea |
| SWS Pipe RCP 15"                         | 80.00     | lf |
| Headwall RC (15")                        | 1.00      | ea |
| Rip-Rap, Light Stone                     | 40.00     | sy |
| D50 6" Stone Rip-Rap                     | 1,950.00  | sy |
| Site Clearing & Restoration              | 1.00      | ls |

All bids received will thereafter be publicly opened, read aloud and considered by the Board of Bids and Contracts.

All work to be done under the direction and supervision of the City Manager and according to plans and specifications on file in the office of the City Engineer.

Bidders will be required to enclose a bid bond in the amount of five per cent (5%) with each as a guarantee of good faith.

The Wichita City Council reserves the right to reject any and all bids.

Dated at Wichita, Kansas, April 28, 2003

Pat Graves, City Clerk

/mm

This information and any addenda are also available on the City's Web Page at: [www.wichita.gov/ep/](http://www.wichita.gov/ep/).

**OCA # (765788 / 765792)**

TO BE PUBLISHED ONE TIME ON MAY 1, 2003

**SEALED PROPOSALS**

Notice is hereby given that bids will be received at the office of the Purchasing Manager, up to 10:00 a.m., Friday, May 9, 2003 for the following project:

**Tyler Road northbound left turn lane at the entrance of Maize Central Schools Addition AND a left turn bay on Tyler Road to serve Brookview in Tyler's Landing Addition (south of 37th Street North, along Tyler)  
472-83713 / 472-83691 (765788 / 765792)**

**Lump Sum Bid Items**

|                                   |          |    |
|-----------------------------------|----------|----|
| AC Pavement 7" (5" Bit Base)      | 1,500.00 | sy |
| Reinforced Crushed Rock Base (8") | 1,788.00 | sy |
| Shoulder Rock (7")                | 1,142.00 | sy |
| Excavation                        | 960.00   | cy |
| Compacted Fill (95% Density)      | 102.00   | cy |
| Traffic Control                   | 1.00     | LS |
| Pavement Marking                  | 1.00     | LS |
| Site Clearing & Restoration       | 1.00     | LS |
| Project Seeding                   | 1.00     | LS |
| Erosion Control BMP               | 1.00     | LS |

All bids received will thereafter be publicly opened, read aloud and considered by the Board of Bids and Contracts.

All work to be done under the direction and supervision of the City Manager and according to plans and specifications on file in the office of the City Engineer.

Bidders will be required to enclose a bid bond in the amount of five per cent (5%) with each as a guarantee of good faith.

The Wichita City Council reserves the right to reject any and all bids.

Dated at Wichita, Kansas, April 28, 2003

Pat Graves, City Clerk

/mm

This information and any addenda are also available on the City's Web Page at: [www.wichita.gov/ep/](http://www.wichita.gov/ep/).

**OCA # (765789)**

TO BE PUBLISHED ONE TIME ON MAY 1, 2003

**SEALED PROPOSALS**

Notice is hereby given that bids will be received at the office of the Purchasing Manager, up to 10:00 a.m., Friday, May 9, 2003 for the following project:

**Ironhorse/Ironhorse Circle from the west line of Woodlawn to and including the cul-de-sac; Hillcrest/Hillcrest Circle from the south line of Ironhorse to and including the cul-de-sac; Oxford from the south line of Ironhorse to the west line of Hillcrest to serve Ironhorse at Oxford Addition (south of 29th Street North, west of Woodlawn) 472-83707 (765789)**

**Lump Sum Bid Items**

|                                   |           |    |
|-----------------------------------|-----------|----|
| AC Pavement 5" (3" Bit Base)      | 8,765.00  | sy |
| Reinforced Crushed Rock Base (5") | 11,320.00 | sy |
| RCVG Pavement (7")                | 609.00    | sy |
| Comb. C & G (3 5/8" RL & 1 1/2")  | 4,913.00  | lf |
| Mono Edge Curb (6 5/8" & 1 1/2")  | 306.00    | lf |
| Inlet Hookup                      | 3.00      | ea |
| Excavation                        | 6,270.00  | cy |
| Compacted Fill (90% Density)      | 175.00    | cy |
| Comb. C & G Removed               | 90.00     | lf |
| Project Seeding                   | 1.00      | LS |
| BMP Erosion Control               | 1.00      | LS |
| Street Signage                    | 1.00      | LS |
| Site Clearing and Restoration     | 1.00      | LS |
| SWS Pipe RCP 15"                  | 42.00     | lf |
| SWS Pipe RCP 18"                  | 148.00    | lf |
| SWS Pipe RCP 24"                  | 542.00    | lf |
| Inlet, Curb 1A (L=5' W=4')        | 3.00      | ea |
| MH, Shallow Type "A" 5' Dia       | 1.00      | ea |
| MH, Special Shallow, 5' Dia.      | 1.00      | ea |
| Rip-Rap, Light Stone              | 40.00     | sy |
| Flowable Fill                     | 37.00     | lf |

All bids received will thereafter be publicly opened, read aloud and considered by the Board of Bids and Contracts.

All work to be done under the direction and supervision of the City Manager and according to plans and specifications on file in the office of the City Engineer.

Bidders will be required to enclose a bid bond in the amount of five per cent (5%) with each as a guarantee of good faith.

The Wichita City Council reserves the right to reject any and all bids.

Dated at Wichita, Kansas, April 28, 2003

Pat Graves, City Clerk

/mm

This information and any addenda are also available on the City's Web Page at: [www.wichita.gov/ep/](http://www.wichita.gov/ep/).

**OCA # (765783)**

TO BE PUBLISHED ONE TIME ON MAY 1, 2003

**SEALED PROPOSALS**

Notice is hereby given that bids will be received at the office of the Purchasing Manager, up to 10:00 a.m., Friday, May 9, 2003 for the following project:

**Osie Street from Hydraulic to Kansas to serve Linwood School Addition  
(south of Harry, east of Hydraulic) 472-83705 (765783)**

**Lump Sum Bid Items**

|                                      |          |    |
|--------------------------------------|----------|----|
| AC Pavement 8" (6" Bit Base)         | 2,400.00 | sy |
| RCVG Pavement (8")                   | 210.00   | sy |
| Bituminous Base (3")                 | 493.00   | sy |
| Reinforced Crushed Rock Base (8")    | 3,230.00 | sy |
| Comb. C & G (6 5/8" & 1 1/2")        | 1,431.00 | lf |
| 1 1/2" Lip Curb                      | 230.00   | lf |
| Wheelchair Ramp Construction (30 sf) | 3.00     | ea |
| Excavation                           | 1,412.00 | cy |
| Borrowed Excavation                  | 183.00   | cy |
| Compacted Fill (90% Density)         | 1,595.00 | cy |
| Comb. C & G Removed                  | 140.00   | lf |
| Site Clearing & Restoration          | 1.00     | LS |
| Project Seeding                      | 1.00     | LS |
| Street Signage                       | 1.00     | LS |
| Erosion Control BMP's                | 1.00     | LS |

All bids received will thereafter be publicly opened, read aloud and considered by the Board of Bids and Contracts.

All work to be done under the direction and supervision of the City Manager and according to plans and specifications on file in the office of the City Engineer.

Bidders will be required to enclose a bid bond in the amount of five per cent (5%) with each as a guarantee of good faith.

The Wichita City Council reserves the right to reject any and all bids.

Dated at Wichita, Kansas, April 28, 2003

Pat Graves, City Clerk

/mm

This information and any addenda are also available on the City's Web Page at:  
[www.wichita.gov/ep/](http://www.wichita.gov/ep/).

**OCA # (765780)**

TO BE PUBLISHED ONE TIME ON MAY 1, 2003

**SEALED PROPOSALS**

Notice is hereby given that bids will be received at the office of the  
Purchasing Manager, up to 10:00 a.m., Friday, May 9, 2003 for the following project:

**Waterfront Parkway from the north line of 13th Street to the east line of Webb Road  
to serve The Waterfront Addition (north of 13th Street North, east of Webb)  
472-83688 (765780)**

**Lump Sum Bid Items**

|   |           |    |
|---|-----------|----|
| AC Pavement 6" (4" Bit Base)              | 11,446.00 | sy |
| Reinforced Crushed Rock Base (6")         | 15,927.00 | sy |
| RCVG Pavement (7")                        | 588.00    | sy |
| Comb. C & G (6 5/8" & 1 1/2")             | 6,259.00  | lf |
| Median Comb C & G (8")                    | 5,295.00  | lf |
| Mono Edge Curb (6 5/8" & 1 1/2")          | 296.00    | lf |
| Sidewalk Concrete (4")                    | 17,503.00 | sf |
| Brick Pavers                              | 9,383.00  | sf |
| Conc. Pavement (6" Uniform)(AE)           | 1,271.00  | sy |
| Wheelchair Ramp Construction (30 sf)      | 8.00      | ea |
| 6" PVC Sleeves                            | 2,046.00  | lf |
| Sediment Barrier, Inlet                   | 16.00     | ea |
| BMP                                       | 1.00      | LS |
| Site Clearing & Restoration               | 1.00      | LS |
| Temp Seeding                              | 1.00      | LS |
| Street Signage                            | 1.00      | LS |
| SWS Pipe RCP 15"                          | 6.00      | lf |
| SWS Pipe RCP 18"                          | 24.00     | lf |
| SWS Pipe RCP 24"                          | 18.00     | lf |
| SWS Pipe RCP 30"                          | 946.00    | lf |
| SWS Pipe RCP 36"                          | 559.00    | lf |
| SWS Pipe RCP 42"                          | 275.00    | lf |
| SWS Pipe HERCP 24"x38" {30}               | 136.00    | lf |
| Inlet, Curb 1A (L=5' W=3')                | 4.00      | ea |
| Inlet, Curb 1A (L=5' W=4')                | 2.00      | ea |
| Inlet, Curb 1A (L=5' W=5')                | 7.00      | ea |
| Inlet, Curb 1A (L=10' W=4')               | 3.00      | ea |
| Inlet, Curb 1A (L=10' W=4')(Stack)        | 2.00      | ea |
| RCB Culvert and Wingwalls Triple (12'x4') | 1.00      | LS |
| RCB Culvert and Wingwalls Double (6'x3')  | 1.00      | LS |
| Flowable Fill                             | 413.00    | lf |
| Concr. Collar                             | 2.00      | EA |

(Cont'd)

All bids received will thereafter be publicly opened, read aloud and considered by the Board of Bids and Contracts.

All work to be done under the direction and supervision of the City Manager and according to plans and specifications on file in the office of the City Engineer.

Bidders will be required to enclose a bid bond in the amount of five per cent (5%) with each as a guarantee of good faith.

The Wichita City Council reserves the right to reject any and all bids.

Dated at Wichita, Kansas, April 28, 2003

Pat Graves, City Clerk

/mm

This information and any addenda are also available on the City's Web Page at: [www.wichita.gov/ep/](http://www.wichita.gov/ep/).